

Blue COIN ID & AERO ID QUUPPA

AOA RTLS beacon

BENEFITS

Location high accuracy <1mHigh lifecycle: up to 5 years

Pick to light : Integrated LED

IP68 waterproof

Integrated NFC chipset

Quuppa









TECHNICAL SPECIFICATIONS

OPERATING MODE

Frequency 2.4 GHz - Bluetooth + 2 proprietary channels (2401MHz & 2481MHz)

Output power Up to +4 dBm (configurable)

Range Up to 200 meters in open field (+4dBm)

Transmission period Smart battery management:

Static state: Transmit period: 1 to 10 sec, or standby

Moving state: Transmit period: 0.1 to 1 sec

Radio frame format Location packet + data packet (13 Bytes)*

*Refer to the frames specification for more information.

Settings and configuration Interface/protocol : NFC (Type 2)

Operating mode Data periodic transmission by motion detection (QUUPPA protocol)

Commands:

LED indicator (ON / OFF)

Battery level

Sensor performance Location accuracy: 10 cm to 1m

3-axis accelerometer for moving event detection (battery life

extension)
Range: -8g to 8g
Resolution: 32 mg

BATTERY

Power supply 3 VDC – Internal lithium battery

Battery life Up to 5 years*

*Refer to the battery life curves for more information.

Battery level Low battery warning from 15%



CERTIFICATIONS

Europe CE: EN 300 328/EN 300 330, EN 301 489, EN 62311, EN 62368

UKCA

USA FCC: FCC PART 15

Canada ISED: RSS-247/ICES-003

RoHS Yes

Quuppa Approved Yes

HOUSING

Dimensions Ø 36 mm base - height: 11.5 mm

2 holes: Ø 5,2mm, spaced of 40 mm (AERO only)

Weight 13

Materials DELRIN (POM C)

Waterproof grade IP 68

Operating temperature -30°C to +70°C

ACCESSORIES

Tag support Holder + double-sided adhesive:


COIN HOLDER STICKER (ACIOM92C)

Holder only:

COIN HOLDER (ACIOM91) **Double-sided adhesive only:**COIN STICKER (ACIOM187)

3M PT1100 - Ø 34mm - Thickness: 1,1mm

MECHANICAL DRAWINGS



BLUE COIN ID QUUPPA

COIN HOLDER

AVAILABLE REFERENCES

Ref	Description
IDF10540-01A	Blue Coin ID QUUPPA IP68
IDF10540-02A	Aero ID QUUPPA IP68